



## Certificate of Analysis

### Client Information

**Best 365 Labs**  
2722 S West Temple  
West Valley, UT 84115  
USA  
385-421-5651

### Sample Information

Sample ID: 771165  
Date Received: 9/20/2024  
Description: Metabolism Plus 60ct  
Lot#: 101224BB04/26

### Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Complete Micro Profile, HM</u>	USP, AOAC, ICP-MS					1
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Yeast	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Mold	USP <2021>	100	Record Only	None Detected	cfu's/g	1
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	<0.001	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.207	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.005	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.451	ppm	1

#### †Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

#### †Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it



Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
----------	--------	------------	---------------	---------	-----	--------

means any detected amount was too small to report an exact number.

**Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.**

